
Camera for vicosys[®] - Mako G-319C PoE

Short description: GigE-Camera, color, C-Mount, 3.2 MP, 2,064 x 1,544 Pixel, 1/1.8"

Order number: 3-12-562



Characteristics

- GigE area scan camera for industrial applications
 - 1/1.8" sensor with resolution of 2,064 x 1,544 (color)
 - industrial GigE Vision interface with Power over Ethernet
 - compact standard housing (61 mm x 29 mm x 29 mm) with class IP30
 - compatible with C-Mount lenses
-

Technical data

Sensor Specification

Sensor name	Sony IMX265
Spectrum	VIS (color)
Shutter technology	Global Shutter
Sensor format	1/1.8"
Sensor diagonal [mm]	8.89
Total resolution[Pixel]	2.064 x 1.544
Total pixel [MP]	3.2
Pixel size [µm]	3.45
Sensor technology	Pregius (2. Gen)
Sensor alternatives (same technology)	IMX252 (more FPS)


Camera Specification

Family	Allied Vision Mako G
Protocol	GigE-Vision
Type	Areascan Camera
IR blocking filter	yes
LAN speed [MBit/s]	1000
Protection class	IP30
Frame rate [fps]	58

General Information

POE	yes
Lens Mount	C-Mount
Weight [g]	80
Housing dimensions	61 mm x 29 x mm 29 mm

Drawings



Dimensional drawing in mm