
Camera for vicosys® - Alvium G1-040m mono C-Mount

Short description: GigE-Camera, mono, C-Mount, 0.4 MP, 728 x 544 Pixel, 1/2.9"

Order number: 3-12-621



Characteristics

- GigE area scan camera for industrial applications
 - 1/2.9" sensor with resolution of 728 x 544 (mono)
 - industrial GigE Vision interface with Power over Ethernet
 - Housing (41 mm x 29 mm x 29 mm) for extended temperature range with up to 65°C and protection class IP30
 - compatible with C-Mount lenses
-

Technical data

Sensor Specification

Sensor name	Sony IMX287
Spectrum	VIS (mono)
Shutter technology	Global Shutter
Sensor format	1/2.9"
Sensor diagonal [mm]	6.27
Total resolution[Pixel]	728 x 544
Total pixel [MP]	0.4
Pixel size [µm]	6.9
Sensor technology	Pregius (2. Gen)
Sensor alternatives (same technology)	IMX297 (less FPS)


Camera Specification

Family	Allied Vision Alvium GigE
Protocol	GigE-Vision
Type	Areascan Camera
IR blocking filter	no
LAN speed [MBit/s]	1000
Protection class	IP30
Frame rate [fps]	59

General Information

POE	yes
Lens Mount	C-Mount
Weight [g]	65
Housing dimensions	41 mm x 29 mm x 29 mm

Drawings



Dimensional drawing in mm