
Camera for vicosys® - Alvium G1-2460m mono C-Mount

Short description: GigE-Camera, mono, C-Mount, 24.6 MP, 5,328 x 4,608 Pixel, 1.2"

Order number: 3-12-643



Characteristics

- GigE area scan camera for industrial applications
 - 1.2" sensor with resolution of 5,328 x 4,608 (mono)
 - industrial GigE Vision interface with Power over Ethernet
 - Housing (41 mm x 29 mm x 29 mm) for extended temperature range with up to 65°C and protection class IP30
 - compatible with C-Mount lenses
-

Technical data

Sensor Specification

Sensor name	Sony IMX540
Spectrum	VIS (mono)
Shutter technology	Global Shutter
Sensor format	1.2"
Sensor diagonal [mm]	19.30
Total resolution[Pixel]	5,328 x 4,608
Total pixel [MP]	24.6
Pixel size [µm]	2.74
Sensor technology	Pregius S
Sensor alternatives (same technology)	IMX530 (more FPS)


Camera Specification

Family	Allied Vision Alvium GigE
Protocol	GigE-Vision
Type	Areascan Camera
IR blocking filter	no
LAN speed [MBit/s]	1000
Protection class	IP30
Frame rate [fps]	59

General Information

POE	yes
Lens Mount	C-Mount
Weight [g]	65
Housing dimensions	41 mm x 29 mm x 29 mm

Drawings



Dimensional drawing in mm