
Camera for vicosys® - GV-5040SE-M-GL Rev.4.2

Short description: GigE-Camera, mono, C-Mount, 1.6 MP, 1,456 x 1,088 Pixel, 1/3"

Order number: 3-12-846



Characteristics

- GigE area scan camera for industrial applications
 - 1/3" sensor with resolution of 1,456 x 1,088 (mono)
 - industrial GigE Vision interface with Power over Ethernet
 - compact standard housing (58 mm x 44 mm x 47 mm) with class IP30
 - compatible with C-Mount lenses
-

Technical data

Sensor Specification

Sensor name	Sony IMX273
Spectrum	VIS (mono)
Shutter technology	Global Shutter
Sensor format	1/3"
Sensor diagonal [mm]	6.27
Total resolution[Pixel]	1,456 x 1,088
Total pixel [MP]	1.6
Pixel size [µm]	3.45
Sensor technology	Pregius (2. Gen)
Sensor alternatives (same technology)	IMX296 (less FPS)


Camera Specification

Family	IDS SE-Serie
Protocol	GigE-Vision
Type	Areascan Camera
LAN speed [MBit/s]	1000
Protection class	IP30
Frame rate [fps]	78

General Information

POE	yes
Lens Mount	C-Mount
Weight [g]	107
Housing dimensions	58 mm x 47 mm x 44 mm

Drawings



Dimensional drawing in mm