
Camera for vicosys® - GV-51J0SE-M-GL Rev.4.2

Short description: GigE-Camera, mono, C-Mount, 8 MP, 2,856 x 2,848 Pixel, 2/3"

Order number: 3-12-862



Characteristics

- GigE area scan camera for industrial applications
 - 2/3" sensor with resolution of 2,856 x 2,848 (mono)
 - industrial GigE Vision interface with Power over Ethernet
 - compact standard housing (58 mm x 44 mm x 47 mm) with class IP30
 - compatible with C-Mount lenses
-

Technical data

Sensor Specification

Sensor name	Sony IMX546
Spectrum	VIS (mono)
Shutter technology	Global Shutter
Sensor format	2/3"
Sensor diagonal [mm]	11.18
Total resolution[Pixel]	2,856 x 2,848
Total pixel [MP]	8
Pixel size [µm]	2.74
Sensor technology	Pregius S
Sensor alternatives (same technology)	IMX530 (UV optimized), IMX546 (more FPS)


Camera Specification

Family	IDS SE-Serie
Protocol	GigE-Vision
Type	Areascan Camera
LAN speed [MBit/s]	1000
Protection class	IP30
Frame rate [fps]	15

General Information

POE	yes
Lens Mount	C-Mount
Weight [g]	95
Housing dimensions	58 mm x 47 mm x 44 mm

Drawings



Dimensional drawing in mm